



INTERIOR PARTITION SCHEDULE:

P1	190MM CONC. BLK., PTD., TO U/S ROOF DECK	P6	1 HR. FRR FIRE SEPARATION - OBC SB-2 TABLE 2.1.1 190MM OVP. BD., PTD., ON METAL FURRING TO U/S OWS/ 190MM CONC. BLK. TO 400 ABOVE NEW U/S ROOF DECK, PTD WHERE EXPOSED.	P11	1 HR. FRR FIRE SEPARATION - OBC SB-2 TABLE 2.1.1 140 MM CONC. BLK., PTD. TO U/S ROOF DECK
P2	1HR FRR FIRE SEPARATION - OBC SB-2 TABLE 2.1.1 190MM CONC. BLK. PTD. TO U/S ROOF DECK	P7	190MM OVP. BD., PTD. ON METAL FURRING TO U/S OWS/ EX. 200 CONC. BLK. #1/ 190MM CONC. BLK. TO 400 ABOVE NEW U/S OF ROOF DECK, PTD WHERE EXPOSED. 90MM CONC. BLK. INT'L. 90MM BRICK VENEER	P12	140MM CONC. BLK., PTD. TO U/S ROOF DECK
P3	45 MIN FRR FIRE SEPARATION - OBC SB-2 TABLE 2.1.1 190MM CONC. BLK., PTD. TO U/S ROOF DECK	P8	1 HR. FRR FIRE SEPARATION - OBC SB-2 TABLE 2.1.1 90MM BRICK VENEER 90MM CONC. BLK. INT'L. 90MM BRICK VENEER	P13	140MM CONC. BLK., PTD. TO 2000 HIGH
P4	2HR FIREWALL - OBC SB-2 TABLE 2.1.1 & OBC 3.1.10 FIREWALLS. 190MM CONC. BLK. PTD. TO 400 ABOVE U/S ROOF DECK 20MM GAP EX. 200MM CONC. BLK. EX. INT. FINISH	P9	190MM OVP. BD., PTD. ON METAL FURRING ALL SIDES OF EX. 200 CONC. BLK. EX. INT. FINISH	P14	140MM CONC. BLK., PTD. TO 1600 HIGH
P5	2HR FIREWALL - OBC SB-2 TABLE 2.1.1 & OBC 3.1.10 FIREWALLS. 18 MM OVP. BD. PTD. ON METAL FURRING TO U/S OWS/ 190MM CONC. BLK., TO 400 ABOVE NEW U/S ROOF DECK, PTD. WHERE EXPOSED. 20MM GAP EX. 200 MM CONC. BLOCK EX. INT. FINISH	P10	45 MIN. FRR FIRE SEPARATION - OBC SB-2 TABLE 2.1.1 140MM CONC. BLK., PTD. TO U/S ROOF DECK	P15	140MM CONC. BLK., PTD. TO 1200 HIGH
				P16	190MM OVP. BD. BOTH SIDES, PTD. 90 MM METAL STUDS @ 400 O.C. ACOUSTIC SOUND ATTENUATION BATT
				P17	1HR. FRR FIRE SEPARATION - ULC DESIGN NO. W438 190MM TYP. "Y" OVP. BD., PTD. 90MM METAL STUDS @ 600MM O.C. 90MM MINERAL WOOL BATT.